App F IX 4

Previous References
Rel 37-27-1
Ptc 252-27, 5 6
Rel " 116-26 " 1-4
" " " 102
Later References
Rel

1932-33
(Rel) 19/11/32

Serial Nos
31, 33, 33
37, 39, 40, 42
43 44

PRESERVED

GENERAL AND REVENUE SECRETARIAT.

Serial Nos 154

Part B for March 34

SUBJECT

Estimates for the electrification & and water supply to the old Bhadravathi Town

SC (28) No. F 1429-33 & 238-33
The D C Shimoga will see
- Comptl attn to Pocht
- Tent Manager Inspn Inspn Contr
- Chief Electrical Engineer
- Dir of Health

E/31/34 Sanction the above

SEN[T] RETARD
11 JUNE 1932
No.

Immt-

1) Any proposals from the Bhadravathi abt- electric light & Water Supply

RG
9/6/32

~~5066~~ 5065
L

2) No proposals have been received in the Z S & Branch. It is however ascertained informally from that a proposal re the Electrification of Bhadravathi has been received in the Electrical Secretariat, where it is being dealt with, and it is learnt that the file relating thereto has been taken to the Council on 23rd

RG
10/6/32

3) Secy) JM 11/6

4) Please find out whether State has the question of the

RG
12/6/32

5) It is ascertained informally in the Revise Estimate amounting to Rs 26,80000 for the supply of power to Bhadravathi has been received at the Electrical Secretariat and the same has been sent to the Chief Engineer to ch a request to furnish his remarks on certain points raised by the General Manager Bhadravathi Iron Works on the scheme. It is learnt that the receipt of his reply in the matter is awaited

DEWAN'S OFFICE
8206
17 JUN 1932

GENERAL SECRETARIAT
16 JUN 1932

Serial No

OFFICE OF THE SEC... 1 JUNE 1932 ... LIBRARY

11) To the Supdt R A Section with compts for kindly putting up a copy of the discussions on the foregoing subject (Vide paras 5 & 6 of Note supra)

BKR 2016

12) See the concerned extracts as put up herewith.

dsm 2016 MM 20/6

13) The Electrical Secretary may be requested to note in what way the question is

BKR 21/6

14) Information may be obtained informally from the Electrical Secretariat. References in this Office relating to the Water Supply to the old town may also be perused

mr mws 21/6

dsm 21/6

15) References relating to the water supply to the old town are put-up (Flags Z & X). A copy of the note obtained from the Electrical Secretariat on the subject of power supply to Bhadravati is also put up for favour of information.

MC 37-27-1
MC 252-27-6

9

MM 25/6

16) As desired by Mr ... may be communicated to the Mysore Engineering Authorities.

(Desh Pr) dsm 25/6

17) There are no further refees relating to the Electrical lighting of Bhadravati in the Irrn Works Section.

NOTE—Contn Sheet.

W D 70—GBPM—60 000—13 8 31

28/6 ... Desh Pr

Electrification and water supply to old Bhadravathi town

5605

File No ____ of 193 | General and Revenue Secretariat

18) Some more reply to para 16

19) No information is available in this office either about the present stage of the question of the electrification & or water supply to the old Bhadravati town

20) Draft extract appears relating to the subject contained in the accompanying copy of the Prop of the recent Assessor will be sent to the Dy Comr Shimoga Dt when a report that a report may be sent as to how the matter stand

Pen'ding 21) Yes

RR 6/7/32

Draft

22) Submitted for

23) Issued

To : The Dy Comr, Shimoga.

S-30 dt 20-7-32

Report that a report may be submitted as to how the matter stands

---

Letter no M 3 493/32-33 dt 20-8-32 from Dy Comr, Shimoga reporting that the General Manager of the Iron Works has promised

TYPE CORRECTED
15 JUL 1932
GENL & REV SECTT

Electrification water supply Dy Chairman

[App I III—2

General and Revenue Secretariat | 2nd File No | of 193 | 1605

Serial No

6) prepare an estimate for both the projects, and that after receipt of the estimates from him, the matter will be placed before the meeting and their views obtained

24) noted for perusal Referee paras 20 & 21 of the notes supra The petitioner reserves from the WC will be awaited

24/9 (Law Secy) 27/9

GENERAL SECRETARY
23 SEP 1933
No

NOTE— Contn Sheet.

WD 70—GBPM—60 000—13 8 31

File No | of 193 | General and Ex Secretariat

REPLY

(To be written on this margin)

GEN & REV SECTT 1716 15 OCT 32 L&C BRANCH

OFFICE OF THE SECOND MEMBER OF COUNCIL

NOTF

Dated 14 10 1932

27) How does the question of water supply to Bhadravati stand? It seems a promise was given last year that water from the Tunga would be supplied to Bhadravati + also electric light as soon as the Tunga water was available from the Tunga works

14/10/32

1405

XXX Ans 15/10

Reference Book

mw Ans 15/10

26) A reference was received in this office some time ago stating that the Manager of the Iron works has promised to prepare estimates for the two projects. The enquiry in question (D No 1405) has been sent to the Govt Secy on 28-5-32

GENERAL SECRETARY 17 OCT 1932 No

Ans 15/10

27) The file may be obtained and perused as soon as the Govt Secy returns from Mysore

Ans 15/10

28) Seen. The file is placed below

Ans 17/10

Put up with enquiry on 17/10

General and Revenue Secretariat | File No | of 193

Madras Electrification and rule

1766

Serial No

29) Secy The Dep Secy states in his letter that the General Manager of the Mysore works has promised to prepare an estimate for the two projects. The Govt may perhaps be addressed

Rm 19/10

30) For perusal of the Govt letter (Flag F which explains the stage of the question

II Member) Rm 19/10

20 OCT 1932 N 3128

31) The Bd meets was to take place on 22-9-32 a month has since passed as proper by 21/10/32

RG 21/10/32

32) Submitted

Rm 24/10 26

33) Issue Rm 26/10

To the Govt, Simla

No 3025 dt 31-10-32

Enquiry what progress has been made in the matter

X

Secy A

File No of 193 General and Revenue Secretariat

General and Revenue Secretariat	File No	of 193	[App F III—2

Petn No 1669

OFFICE OF THE DEWAN OF MYSORE

Bangalore Dated 27 OCT 1933

GENERAL SECRETARY 28 OCT 1933 No 9394

GEN 3763

1 NOV 1933

L & B BRANCH

The accompanying petition addressed to the Dewan is forwarded with compliments to the Secretary to Government General Department, for disposal

By Order

Private Secretary to the Dewan

28/10 Put up with the file relating to the preparation of new estimate for the work suggested and electrification of Bhadravathi Iron Works. The reply from the Dc is yet due. Hence reminded on 8/11/33 & 23/11/33 & 30/11/33 stating grounds of hemmpe written to again

Issued notice 5836 of 7/3/33 to the Shimoga Deputy to send up his reply very early

✓ Sus 83 7/3/33

Sent reminder on 16/3/33

File No of 193 General and Revenue Secretariat

5645 5633

Office of the Dewan of Mysore,

NOTE

Mysore, *Dated* 11th June 1933

Ml 131-32-25

DEWAN'S OFFICE 11 JUN 1933

38) 1) Mr V V Iyer, Bhadravati, represents -

(1) that a scheme for giving electric lights and water supply to the old Bhadravati town, has been prepared by the Mysore Iron Works and accepted by the Municipality, and,

(2) that the declaration of the Municipality to be a Town Municipality instead of a minor one has been held up

39) Please let me know in what stages these matters are

2) General Secretary with compliments

2497/B Bhadravathi supply — water supply & Electrification

General and Revenue Secretariat | 2nd File No 131 of 1932 | 5745 | [App F III—2

Serial No

40) 31) As regards water supply to and electrification of the Bhadravathi Town, it has been reported by the Dy Commr Shimoga that estimates have been prepared by the Local Manager, Bhadravathi Iron works for 25 electric lights and 10 additional taps, that the estimated cost of these schemes is Rs 6000 and Rs 9000 respectively, and that further action in the matter will be taken in connection with the Bhadravathi subject

A

41) 41) There are no references in this office in regard to the conversion of the Bhadravathi minor supply into a Town supply. It is however noted that the question of constituting the Iron works area into a ~~separate Municipality has been raised~~ Local Panchayat is under consideration in the linked file ⊗ KB 140-29

42) 5) Referee — Dewan's note dy 11-6-33 — para 1 supra

13/6

Secy

13/6

Dewan

14/6

43) A The DC may be asked to take prompt action

15/6/33

DEWAN'S OFFICE 14 JUN. 1933

GENERAL SECRETARY 14 JUNE 1933 No.

⊗ I

Note no 2 dt 3 & 1933 dy 29-5-33

13 Bhadravathi Municipality — Water supply & Electrification

5645 5645

File No 32	of 1932	General and Revenue Secretariat

44) Note read for appal

45) Issue 16/6

16/6

To Mr. Dc Singa Rao
Engr dy 20-6-33
Request him to take prompt action in the matter

Sig Rs

Letter No. M 3 C 493/32-33 dy 15-6-33 from the Dc, Singa Rao relating sanction by the resolution of the Bhadravathi Municipality to meet the estimated cost of Rs 15000 towards the Electrification & water supply Schemes out of the investment & closing balances

---

16) The estimates for the electrification and water supply amount to Rs 6000 and Rs 9000 respectively. Funds to be provided to meet the cost of these schemes out of the investment & closing balances at its credit. The budget estimates of the Municipality for the next year shows that it will have a closing balance of Rs 10866 and an investment of Rs 1115-35

Flag Y

(X) Flag X

17) Before sanctioning the proposals, the detailed estimates for the electrification and water supply may perhaps be sent to the Engineer, Elec Dept and the Engr Irrig Supt respectively for favour of scrutiny & return

5645 5807 5807 5807

Serial No

48) Laid for orders Refer para 43 supra

23/6

24/6

49 "The estimate in regard to the provision of electric lights is not to be found in the file Has it not been sent?

24/6

50 The estimate in regard to the provision of electric lights is enclosed

24/6

51 The Secy Electrical Dept may kindly be consulted in regard to the estimate for the provision of electric lights The Scheme is apparently for the supply of power from the Iron Works & has nothing to do with the larger Scheme referred to in the Electrical Secy's note of April 1932

(Asst Secy)

24/6

52 [illegible]

[illegible]

GENERAL SECRETARY 26 JUN 1933 No

ELECTRICAL SECRETARIAT 1518 29/6/33

NO 262-32

28/6/33

53 Forwarded with compliments to the Secretary to Govt Electrical Dept for favour of opinion

By order

Asst to Secy to Govt

S. 2018 21/6/33

54) [illegible] with compliments for favour of courtesy of the [illegible] estimate will be sent

10/7

File No of 193

General and Revenue Secretariat

ELECTRICAL DEPARTMENT

83

OFFICE OF THE CHIEF ELECTRICAL ENGINEER 14/7/33

TO THE GOVERNMENT OF MYSORE

BANGALORE

no 389
one file

Date 14th JULY 1933

File No 193

Serial No

53 Returned with compliments to the Secretary to Government Electrical Department

56 The estimate is in order except for the fact that the capital cost can be reduced by using 30-ft S M rails instead of 30-ft balgi poles as proposed by the General Manager Bhadravathi Iron Works The savings by this change would be about Rs1 000

57 The usual procedure adopted by this Department in the case of such electrifications is that the capital cost involved is met from the departmental funds and the lights & the line are maintained at the departmental expense The rate of royalty charged is Rs22-8-0 for a 60-watts lamp and Rs30-0-0 for a 100-watts lamp per annum At the above rate the royalty to be collected from the Bhadravathi Municipality works out to Rs615/- per year whereas the General Manager has stated in his letter that the charges for the current would be Rs720/- per year excluding the cost of replacement & maintenance of lines, which in my opinion is rather very high.

GENERAL SECRETARIAT
18 JULY 1933
No. 4553 - 1932
(1282)
1-7-1933
(917)

C. M. Campbell
Chief Electrical Engineer
13 7 33

5553

Serial No

1 5th A copy of the Chief Electrical Engineers note may perhaps be sent to the Dewan Shimoga, for ascertaining from the General Manager if the alterations proposed in the estimate are acceptable to them

2 5th After writing to the Dewan the file may be sent to the Sanitary Engineer, through the Director of Health, for opinion on the proposed scheme of Water Supply

3 For orders

(Sec'y)

SECRETARIAT
20 JULY 1933

4 A & B Agree

2nd Amendment

5

6 Issue

7

Office Section Member I C
21 JULY 1933

8 Issue & Resubmit

9

10 Issue resubmit

11

12 Three days time, sanction at 1 11 28 Dy 9-8-33

Request him to ascertain from the General Manager if the alterations proposed by him in the

DRAWING SECTION
7 AUG 1933
Tracing Sheet

Bhabanipatna water supply & Electrification

S-865

2nd File No 131 of 1932 — General and Revenue Secretariat

Check the copy are acceptable to him

65 Remedy as in case of No 64 supra

9/8



Vide next page

DEWAN'S MINUTE

M1 FILE No 131 1932

66) A Deputation of six Members of the Municipal Council of Bhadravati (Old Town) waited on me this morning and represented that early action might be taken to give their town electric lights and filtered water On going through the connected file, I find that this matter has been pending for a very long time The Old Town of Bhadravati has increased in importance in view of its proximity to the Iron Works and it has a population of 5,000 The Municipal Council can afford to have electric lighting and filtered water and have resolved to spare from their cash and invested balances, the amount required for providing the place with these conveniences In these circumstances, it is desirable that early arrangements should be made for the execution of the works for the supply of light and water

67) Provision of electric lights The following points raised by the Chief Electrical Engineer in his u o note dated 13th July 1933 have been referred to the General Manager of the Iron Works -

(1) Using M S rails instead of Balgi poles for effecting a reduction of Rs 1,000/- in the estimate, and

(2) requiring the Iron Works to bear the capital cost of the lighting installation and of its maintenance, and to charge the Municipality at Rs 22-8-0 for a 60-Watt lamp and Rs 30/- for a 100-Watt lamp per annum

68) The Chief Electrical Engineer's suggestion for using rails instead of Balgi poles might be approved As for point No (2) raised by him, I do not think it can be accepted in the circumstances of this case The Iron Works are not an electricity producing and selling concern like the Electrical Department The procedure followed by the latter Department is to bear all expenditure - Capital and Revenue - incidental

to the provision of light or power and reimburse itself for (i) operation, (ii) maintenance, (iii) depreciation, (iv) interest on capital, and (v) cost of power in the form of price charged to consumers What the Iron Works have proposed is that the Bhadravati Municipality should bear items Nos (i) to (iv) and should pay the Works only for item No (v) This is a reasonable arrangement and I do not think the Iron Works can adopt the procedure followed by the Electrical Department On one point, however, the proposal of the Iron Works is not clear The General Manager states that "the maintenance charges including cost of power will amount to Rs 60/- per month" He has not given details for this monthly demand He may be asked to furnish particulars for ascertaining if all the items included in this claim are necessary and fair Pending this enquiry, the scheme for the supply of 25 electric lights (3 old and 22 new) might, I think, be sanctioned for prompt execution The Municipality is now incurring an annual expenditure of Rs 1,000/- on kerosine lights and the cost of electric lights will not exceed this amount, including outlay on renewal of bulbs

(9) Supply of filtered water The Sanitary Department has prepared an estimate for providing 17 taps, while that proposed by the Iron Works is for giving 10 taps The General Manager has explained why it is not possible to supply water for more than 10 taps The Municipality is satisfied with 10 additional taps - Vide its resolution dated 1st June 1933 approving of the estimate for Rs 9,000/- prepared by the Iron Works - This scheme might also, I , be approved and required to be carried out without

There appears to be no need for making any further

reference to the Sanitary Department on this subject The General Manager has suggested a rate of Rs 6-8-0 per cwt for cast iron pipes to be supplied, while that taken in the estimate of the Sanitary Department is Rs 5-8-0 The Stores Purchase Committee has, I believe, fixed up a rate contract for the supply by the Iron Works of pipes for Government works in the current year, and whatever that rate is, it may be adopted for this estimate In the case of the Water Supply Scheme also the Iron Works have not given details for the payment on account of monthly maintenance charges amounting to Rs 50/- Particulars for this amount may be called for and if the items included in it are fair, the charge may be accepted The sanction to the estimate need not, however, I think, wait pending this enquiry The monthly demand does not include any charge for the supply of filtered water which will be given free

70) Forwarded, with compliments, to the Second Member

The Deputation will, I think, wait on him also today in the afternoon

(2 8 33

71) The deputation waited on me this afternoon

72) The Forwarded to the Sl Secy with Compliments for very early action on the lines indicated in the Dewans minute T

12/8/33

[redacted]eral an[redacted]nue
Secretariat

2nd File No 131 of 1932

Serial No

24) Send under a cloth o
(Any alterations in the p committee's letter to reach H. Cast- from h. pos, referred to above as at B. 6-8-0, as noted in the estimate.)

a

25) Please put up a typed draft as revised

JM 14/8 AW

JM 14/8

15 AUG 1933
No.

26) Typed draft submitted for approval

JM 15/8 AW (for Secy)

JM 15/8

II Number

Opn 16/8

JM 16/8

Jn 15/8

Opn 16/8

JM 20/8

28 To Messrs, Siemens Bros
& Company Ltd
" General Manager, Sys Omnibus
" Chief Elec Engr
" Mech Engr

1429-33 Dy 23-8-33

Submits the above estimate for B type oil engine electric lighting equipment duly signed & calls for acceptance intimation

Clerk. Sheet.

SECRETARIAL
15 JUL 1933
No. 6194

TYPING SECTION
23 AUG 33
GENL & REV SECTT

File No of 19

7

1215

Official and Revenue Secretariat | B/ File No | of 1933-34 | [App F III—2

Serial No

Letter no B 258/33 Dy 6-5-33 from the General Manager, Bhadravathi Iron works forwarding Local Baleger poles may be used for the electrification scheme of the Bhadravathi Town instead of rails

---

78) 17 file 131-32-25 relating to the sanction of estimates for R cows and Govt prepared by the General Manager, Iron works for the provision of 25 electric lights and 10 additional water taps, respectively to the Bhadravathi old Town, is putting for reference the Secretariat regarding the estimates, the Chief Engr's sanction for using rails instead of Baleger poles in respect of the electrification scheme was approved

M

79) The General Manager now recommends that the Baleger poles may be used, in the cases stated, as the extra cost involved is, according to him only about Rs 210 He also states that rails will not be available for some length of time

80) Submit for orders.

7/9 AM

81 Please see Dewan's minute in paras 67 & 68 supra

7/9

82 Note for consideration if the Secretary Electrical Dept may be consulted in the matter

(Sd) 7/9

83 Yes

7/9

84 Forwarded with Compliments unofficially to the Secretary to Govt, Electrical Dept, for favour of opinion

By order
Aravamudan
for General Secretary

GENERAL SECRETARIAT
GAL
9-8-33

355-33

WD 78—GEPM—60,000—13-8-31

File No of 193

General and Revenue Secretariat



ELECTRICAL SECRETARIAT | File No | of 193

B D 3515
11/9/1933
1 one file

Serial No

85

Forwarded with Compliments (unofficially) to the Chief Electrical Engineer, for favour of opinion and early return.

S Samuel
Secretary to Govt
Electrical Dept
Nov 9 33

9/11/33

EES
11/9
11/4

ELECTRICAL DEPARTMENT

OFFICE OF THE CHIEF ELECTRICAL ENGINEER

TO THE GOVERNMENT OF MYSORE

BANGALORE

Date, 12th Septr. *1933*

ELECTRICAL SECRETARIAT
BANGALORE
Reg No 857
Date 14/9/1933

File No 193

O No 2693
one file

Serial No

86 Returned, with compliments, to the Secretary to Government, Electrical Deptt

87 It is nbt understood what the Genl Manager means by saying that 3100 volts is a very high voltage and 24ft rails will not be suitable for it I may mention that this department uses 24ft rails for voltages up /o 4600-volts As pin type insulators are used, the necessary clearance will be available The object in view in suggesting the use of rails was to save the capital cost which was supposed to be borne by the Municipality The rails are available at about Rs11/-each Hence, there will be a good bit of saving if the rails are used in place of Baligi poles which cost Rs20/- each Any saving which can be effected by reducing the capital cost is worthwhile, as the same is being borne by the Municipality

88 However, there is no objection in using the Baligi poles if it is absolutely necessary

C. M Campa
Chief Electrical Engineer
13 9 33

E.D.S.S. 3
14/9/33
one file

SECRETARIAT
14 SEP 1933

89 Returned with compliment I agree with the above remarks

13/9/33
Secretary to Govt

1215

Serial No

90 Orders of the day already passed directing the use of rails may stand, or whether the proposal of the Iron Works General Manager to use Bagh poles may be sanctioned

(Sec'tee) 15/9

INFRA SEC'A 15 SEP 1933 No

91 See marginal para of the Chief Secy's note dated 13/9/33 may be communicated to the General Manager for remarks

If Number 16/9

Of the Second Member 20 SEP 1933 No 1679

92 The CEE sees no difficulty in the use of rails. The orders already passed may stand

20/9

93 Draft regret letter for Gen Manager 21/9

94 Put up proposal 26/9 98

95) For perusal before leave 28/9

(Sec'tee)

28/9

WD 70—GBPM—60 000—13 8 31

15-38

M.C. File No 131 of 193 2. General and Revenue Secretariat

To the General manager 32

2492 dt 3-10-33

States that the orders already passed during the use of the rails may stand

---

Letter no 441 dt 27-9-33 from the Gen 33

Manager says 2 more works pressing the

decide in regard to the maintenance charges

annuity 4-8-00 and 3 s 0 p m for electrification

and water supply schemes of Bhadravathi Town

respectively

---

97) Sec's note refers to Govt's minute dt

12-8-33 paras 6a & 6b of the notes supra.

Steps for early duration when the charges A

may be assumed

98) The General manager reports the return

of the sketch sent with the estimate. He may

be requested asked to address the Govt in the B

matter, as the estimate & the connected papers merely

the sketch have been sent to the Govt

99 98

c/10 99) A The Secy Electrical Engr of the

Dept of Railways may be consulted. Please

put up Draft

" 100) B Yes

Urgent 7/10

General and Revenue Secretariat | 2nd File No 131 of 1932

1538

Serial No

GENERAL
13 OCT 1933
No

GOVT OF INDIA
13 OCT 1933
GEN & REV SECTT

101 2 ays- received from 1/2C
AM 12/10 (Secy Hy) AM 13/10
102 Ltr 14/10 Secy AM 16/10

36 2 Secy Hy to Govt, Sc copy
4 Secy to H
2667- S- dy 30-10-33
Calls for Secy's views on the matter

35- To Secy for Remarks
2666 S dy 30-10-33
States that the Secy can only express
opinion on the matter

Con A
31/10

37 Secy No C 235- 10 dy 8-11-33 from
Secy to H stating that a permanent
Secy may pay Rs 30/- p m only employed
for the purpose seems unnecessary and that
an expenditure of Rs 250 per year towards maintenance
charges is quite enough

1578 Secy to H encloses draft il-

2—Cover Sheet

supervision of a remuneration of Rs 10 h m
is paid to any fitter of the Irrigation for
looking after the water works It is stated further
that a sum of Rs 100 a year will be required
for replacement of taps & sundry repairs and
a sum of Rs 30 for contingent expenditure
As the Div suggests that the question of
having an independent staff may be
taken up, when the supply system is further
developed

106 Low with regard to para 9 of the orders
supra

107) A copy of the Div letter may kindly be sent to the General Manager Tramways with reference to his letter dt 27-9-33 for stating why the reduced charge proposed will not do

108) This reference is considered unnecessary, a draft sanctioning the Director's proposal will be submitted

109 Re the maintenance charges of the Electrification Scheme the opinion of the Secy Electrical Dept has not been received yet

It would be removed

110 Orders re A

Secy Secy

ENCLOSURE
22 to 28

15-38

PINC SECTION 19 DE GENL & REV SECTT

Serial No	
	1st Sec to Genl Manager and Secy to Govt, E Dept recd 12/12/33 113 Qtone 18/12
	To the Genl Manager, Mysore Rly wires 4328 dy 22-12-33 Pls a copy Mr's letter and explain why the reduced charges will not do
	Secy issued no 4329 dy 22-12-33 to the Secy, E Dept

W	Letter no E-D S 1178 dy 30-12-33 from the Secy to Govt E Dept forwarding an extract from the Chief Engr's memo dy 14-7-33 and stating that he has no remarks to offer
	---
A	The extract now sent is a copy of the Chief Engr's unofficial note dy 13-7-33 contained in para 57 of the notes in this file
	The reply from Genl Manager re ~~maintenance~~ charges will be dealt with in

WD 0494—G.P.B.—15,000—12-10-32

1(64 3141 3169 3295

Ref File No 131 of 1932 — General and Revenue Secretariat

Serial No

as amended

116) Draw note regarding para 99 of the rates supra

MW 4/1 AW

117) The General Manager may be reminded DMG 6/1

Letter no 13366 dtd 6-1-34 from the Secy, Bd of management, Bhadravathi Iron works that the management finds it necessary to append a note for raising for the maintenance of the water supply and that the higher charges of Rs 20 per annum asked for in their letter dtd 27-9-33 may be fixed for a period of 2 years in the first instance and that on the experience gained the question may be reviewed at the end of that period — 41 — put I

---

118) Draw note regarding para 99 & 107 of the rates supra

MW 11/1 AW

119 The Chief Electrical Engineer states that — A

- the surcharge of 50% proposed for the Electric charges is high. According to him the rates to be collected, on the basis of the rates prevailing in the Bhadravathi area comes to Rs 615/- per year. He is for orders of the General Manager may be asked to state if the charges cannot be reduced to the latter sum. — Yes 1/2

Serial No

B

13 11 39 TAPAL No 359 J

120 Re charges for water supply maintenance the General manager says that for reasons mentioned as the work of the fitter cannot be entrusted to any other existing staff, a separate fitter is necessary Regarding the sum of Rs 70 per mensem proposed for replacements he says that this may be provisional for 2 years in the first instance He thinks not in favour of reducing the charges as suggested by the Director of Health

Gen'l Secy) 13/1

121 Re B, General Manager's view may be accepted

122 Draft Enquiry may be made as suggested and a draft put up as soon as the reply is received from the Gen Manager

13/1

123 Please put up draft to Gen Manager re 13/1

TYPING SECTION 16 JAN 1932 VL & REV SECT

124 Draft notice for approval 15/1

125) Issued 15/1

NOTE—Contn Sheet

WD 0434—GPB—15 000—12-10-32

3573

3295

File No 131 of 1932

General and Revenue Secretariat

Serial No 42

To the Genl Manager

S-506 dtd 23-1-34

Enquiries if the charges ~~or electricity~~ cannot be reduced in the ~~case~~ from ~~of~~ Rs 615 per annum

---

Letter no 11 dtd 26-1-34 from the Secy, BD & Management, ~~of~~ Mysore Iron Works stating that a sum of Rs 720 per annum proposed as reasonable, being in accordance with the cost of generation of power on the works, and that the procedure followed in the Electrical Dept cannot be applied to supply of power from the works

---

(26) Draft ~~to~~ orders ~~in~~ with reference to paras 122 and 123 of the notes supra

31/1

(27) Please put up draft G.O. sanctioning the General Manager's proposals as directed in paras 121 & 122

2/2

(28) Draft G.O. sanctioning ~~need~~ for consideration

2/2

for approval

Genl Secy.)

II Member

MSK 5.2.34

29/2 for [illegible] 21/2

OFFICE OF THE SECRETARY TO GOVT OF MYSORE & SECRETARY TO COUNCIL
22 FEB 1934
No. 5

GENERAL SECTION
5 FEB 1934
24 FEB.

Serial No	
44	The Secy, Board of Management Iron Works " Comptroller to Govt Chief Electrical Engineer Dr of Health Secy to Govt Electrical Deptt D C Shimoga Dt G O No L 6696-701 dated 9-3-34 Sanctions the proposals of the Secy, Board of Management Iron Works

✓
B
20/3

WD 0431—GIB—1 000—12 10 33

File No of 193

General and Revenue Secretariat

Serial No

App

SUBJECT

Section 2nd

File No

Serial No

No L 530 Ene one

To The Ue, Shigin

Sir,

I am directed to forward herewith an extract from the proceedings of the recent Govt R A Session re the question of the electrification and water supply to the old Bhadravathi Town and to request that a report may be submitted as to how the matters stand

I have the

Date of issue 20/7

Signed by Mr H S Rose

Diary No of letter repl ed to

General and Revenue Secretariat

( )

the 193

List of enclosures

Copied by 15/7

Examined by

14/7 Asst Rev Secy

11/7

No MSC 193/32-33

OFFICE OF THE DEPUTY COMMISSIONER,
SHIMOGA DISTRICT.

Dated Shimoga 9th March 193 3

REV-SEC
2-3-936

No MSC 193/32-33 OFFICE OF THE DEPUTY COMMISSIONER
SHIMOGA DISTRICT

Dated Shimoga 20th September 193 2

FROM

M G MEHKRI, ESQ B A LL B
Deputy Commissioner
Shimoga District

GEN & REV SECTN
1405
22 SEP
I & G BRANCH

SECRETARY

To No 2459

RANGA RAO ESQ B A B L
General Secretary to Government
Bangalore

7th March 193

SIR

With reference to your No 530/M1 dated the 20th July 1932 forwarding an extract from the Proceedings of the last June Session of the Representative Assembly regarding the question of the electrification of and water supply to the old Bhadravati Town and asking me to report as to how the matters stand I have the honour to state that I had a talk with the General Manager of the Mysore Iron Works on the 10th this month He has promised to prepare an estimate for the projects, placing the matter before the Board meeting to be held on the 22nd of this month After receipt of the estimates from him the matter will be placed before the

of estimates
avati old town
r from the
hed The
o return to
nd him again
port in the

14/3/33 the Private secy
14/3/33
A reminder was sent on the 25th instant
& no reply is rcd by them
18/3
Issue with a reminder
20/3
Issue
6321 & 30/3/33

5492

OFFICE OF THE DEPUTY COMMISSIONER
SHIMOGA DISTRICT

Dated Shimoga 29th May 1933

FROM

T V A Isvaran, Esquire, B A ,
~~Gulam Mohiddin Merkhel, Esq, B A, LL B,~~
Deputy Commissioner
Shimoga District

2 JUN 1933

To

H V Ramaswami, Esquire, M A, B L ,
General Secretary to Government
B a n g a l o r e

GENERAL SECRETARIAT
31 MAY 1933
No.

SIR

In continuation of this office letter No M 3 C 193/32-33 dated 13th May 1933 re the estimate for electrification and water supply to Bhadravati old town, I have the honour to state that estimates have been prepared by the General Manager, Bhadravati Iron Works for 25 electric lights and 10 additional taps for Bhadravati town The cost estimated for these schemes amounts to Rs 6000 and Rs 9000 respectively

Further actin in the matter will be taken in consultation with the Bhadravati municipal council

I have the honour to be,
Sir,
Your most obedient servant,

Deputy Commissioner,
Shimoga District

Submitted for perusal
No further report may perhaps be awaited
2/6
2/6

AR

5807

No Mz.C 103/32-33
Enol 1 file & 1 Blue print & Budget estimate

OFFICE OF THE DEPUTY COMMISSIONER
SHIMOGA DISTRICT

Dated Shimoga 15th June 1933

FROM

T V A ISVARAN Esq B A
Deputy Commissioner
Shimoga District

GENERAL SECRETARY
19 JUNE 1933
To

H V. RAMESWAMI ESQ , M A , B L ,
General Secretary to Government
Bangalore

SIR

In continuation of this Office letter No Mz C 193 of 32-33 dated 29-5-33 regarding the estimates for electrification and water supply to the old town of Bhadravati, I have the honour to state that the Bhadravati Municipal Council in their meeting held on 1-6-33, have passed a resolution to meet the estimated cost of Rs 15000/- towards the Electrification & water supply Schemes, out of investments and closing balance

I therefore request you to kindly obtain the sanction

sanction of Government to the proposal of
These measures of improvements have been c
be urgent and desirable

A copy of the sanctioned Budget for t
with the connected records is herewith enc
reference and return

I have the
Y
Your most obe

DEPUTY CO
SHIMOGA

Appendix F G-1]

SUBJECT

---

he Cour*y No of letter replied to*

sidered

-4, to General and Revenue Secretariat

sed for ( )

the *193*

our to

ent sere of issue 20/6/33

wer

SSIONEF

STRICT ed by Mr A Subba Rao

t of enclosures

Copied by

Examined by

Section

File No 32-32

Serial No

No L 8245

To

The Collector, Guntur

Sir,

With reference to correspondence ending with your letter No M3 C 193/32-33 dt 29-8-33 re the estimate for the electrification of Tenali and Water Supply to the Old Bhadrachalam Town, I am directed to request you to send us a report and take prompt action in the matter and expedite your report on the matter.

I have etc

for Secy.

WD 02,3—GPB—15 000—26 8 32

M 3 C 193/32-33

OFFICE OF THE DEPUTY COMMISSIONER
SHIMOGA DISTRICT

Dated Shimoga 21st June, 1933

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L 8245 Dated Bangalore 19th 20 June 1933.

From

The General Secretary to the Government of His Highness the Maharaja of Mysore

To

The Deputy Commissioner, Shimoga District

Sir

With reference to correspondence ending with your letter No M 3 C 193/32-33 dated 29th May 1933 re the estimates for the electrification of and water supply to the old Bhadravathi Town, I am directed to request you to be so good as to take prompt action in the matter.

I have the honour to be,
Sir,
Your most obedient servant,

A Subba Rao
For General Secretary to Government

mk.2

No M 3 C 193/32-33 OFFICE OF THE DEPUTY COMMISSIONER
SHIMOGA DISTRICT

Dated Shimoga 21st June, *1933*

5883

FROM

T V A Isvaran, Esq , B A ,
Deputy Commissioner
Shimoga District

GEN & REV SECTT
23 JUNE 1933
L & Q BRANCH

GENERAL SECRETARIAT
22 JUNE 1933

To The General Secretary to Government,
B a n g a l o r e

With reference to your letter No L 8245/M1 32-33 dated the 20th instant requesting me to take prompt action in the matter of electrification of and water supply to the Old Bhadravati town, I have the honour to invite your kind reference to this Office No M 3 C 193/32-33 dated the 15th instant forwarding the necessary plans and estimates along with the Municipal Council Resolution and requesting sanction thereto, I request that very early orders of Government may kindly be obtained sanctioning the resolution of the Municipal Council so that I may take further action in the matter

P T O

matter

I have the honour to be,

Sir,

Your most obedient servant,

Lee Dwarris 21/6/33

DEPUTY COMMISSIONER

Appendix F G—1]

SUBJECT

Issued
Recd

Section 2nd
File No 131 - 32
Serial No 27

Diary No of letter replied to

No 1128/Gen 1

To
The Dy. Manager of
Sir,
With reference to the correspondence ending with your letter no 2n 3 e 193/32-33 dy 15-6-33 relating to the proposal for Bhadravathi need to meet the estimated cost of Rs 15,000 towards the Electrification & water supply schemes, and for which suspense funds [illegible], I am directed to forward herewith a copy of the Chief Electrical Engineer's note on the estimate furnished by the General Manager Iron Works for Rs 6000, for future electrification and to request you to see to find out and to ascertain from the General Manager if the alterations proposed by the Chief Electrical Engineer in the estimate, are acceptable to them

~~The records are sent herewith for reference and return~~

I have the

Yours

Yours faithful

For Secy

General and Revenue Secretariat

( )

the *193*

Date of issue 7/8/33

Signed by Mr A S R

List of enclosures

Copied by

Examined by

WD 0253—GPB—15 000—26 8 33

Mle 131-32-28

Pro ...lings of the Government of
His ...ighness the Maharaja of Mysore

* * * O * * *

(18

Read -

... -

with letter
... 15th June 1933
..., Shimoga Dist.,
... telegram
...e General
..., for the
...hts and 10 ~~...~~
...ively to the ...
...einstruct out
...adras thi

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated Bangalore 7th August 1933

No 44 28

From

The *Secretary to the Government of His Highness the Maharaja of Mysore*
General Department

To

The Deputy Commissioner,
Shimoga District

Sir

With reference to the correspondence ending with your letter No 13 C 193/32-33 dated 15th June 1933 soliciting sanction to the proposal of the Bhadravathi Municipal Council to meet the estimated cost of Rs 15,000/- towards the electrification and water supply schemes out of its surplus funds, I am directed to forward herewith a copy of the ~~xxxx~~ Chief Electrical Engineer's note on the estimate of Rs 6,000/- furnished by the General Manager, Iron Works for the electrification of the town and to request you to be so good as to ascertain from the General Manager if the alterations proposed in the estimate by the Chief Electrical Engineer are acceptable to him

I have the honor to be,
Sir,
Your most obedient servant,

Asstt Secretary
For General Secretary to Government

...389 dated ...e
Electrical
...suggestions
lectrification -
stead of
...a ~~...~~ reduction
and
Wor... to b...
allation and
...and to c...re
...0 for a 60
100 ~~...~~ att
33 & 23 ...

...t 2/...nc 1

...e Chief Electrical Engineer's
su...estion for using rails instead of
Bella...i poles is approved ...but his propo
regarding t...e ...idence of ...c...r... on
account of the ...chere cann...t be accepted,
as the Iron works are not an electricity
producing and ...[redacted]... concern like ...[redacted]...

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated Bangalore 7th August 1933

No 4112 28

From

The *Secretary to the Government of His Highness the Maharaja of Mysore*
General Department

To

The Deputy Commissioner,
Shimoga District

Sir

With reference to the correspondence ending with your letter No 13 C 193/32-33 dated 15th June 1933 soliciting sanction to the proposal of the Bhadravathi Municipal Council to meet the estimated cost of Rs 15,000/- towards the electrification and water supply schemes out of its surplus funds, I am directed to forward herewith a copy of the ~~xxxx~~ Chief Electrical Engineer's note on the estimate of Rs 6,000/- furnished by the General Manager, Iron Works, for the electrification of the town and to request you to be so good as to ascertain from the General Manager if the alterations proposed in the estimate by the Chief Electrical Engineer are acceptable to him

I have the honor to be,
Sir,
Your most obedient servant,

Asuleva Rao
for General Secretary to Government

Encl 2/ nc 1

Mle 131-32-28

Proceedings of the Government of
His Highness the Maharaja of Mysore

* * *

(18)

Read -

Correspondence ending with letter No M3 C 193/32-33 dated the 15th June 1933 from the Deputy Commissioner, Shimoga Dist., forwarding for sanction two estimates for Rs 6000 and 9000 prepared by the General Manager, Bhadravati Iron Works, for the provision of 25 electric lights and 10 ~~additional water taps respectively~~ additional water taps respectively to the Bhadravati Old Town, the cost being met out of the surplus funds of the Bhadravati Municipality

2 Un-official Note No 389 dated the 14th July 1933 of the Chief Electrical Engineer making the following suggestions in regard to the scheme of electrification -

(1) Using I S rails instead of Balagi poles so as to effect ~~a~~ a reduction of Rs 1000 in the estimate and

(2) Requiring the Iron Works to bear the capital cost of the installation and the cost of its maintenance and to charge the Municipality at Rs 22-8-0 for a 60 watt Lamp and Rs 30 for a ~~hundred~~ 100 watt lamp per annum

Order No L 1429-33 Dated 23/8/33

The Chief Electrical Engineer's suggestion for using rails instead of Balagi poles is approved But his proposal regarding the incidence of The charges on account of the scheme cannot be accepted as the Iron works are not an electricity producing and selling concern like

the Electrical Department and as the proposal of the Iron Works that the Municipality should bear all these charges and pay the Works only for the cost of power is reasonable

2 The Iron Works have not given details on account of the maintenance charges amounting to Rs 60/- per month in the case of the Electrification scheme, and Rs 50/- per month in the case of the Water Supply Scheme Details for these amounts may be furnished early to see if the items included are necessary and fair

3 Pending orders in regard to the maintenance charges and subject to the alteration approved in para 1 above, the two schemes are sanctioned They should be taken in hand very early and carried out without delay

Letter

Draft
Memo 1578 General Secretary to Govt

Memo 1578-A4

To

The Deputy Commr, Srirangam Distt, Trichinopoly,

The Comptroller to Government,

The General Manager, Mysore Iron Works,

The Chief Electrical Engineer,

The Director of Health

(6 copies)

extra copy

Proceedings of the Government of His Highness
the Maharaja of Mysore

R e a d -

Correspondence ending with letter No M3 C 193/32-33 dated the 15th June 1933, from the Deputy Commissioner, Shimoga District, forwarding for sanction two estimates for Rs 6,000/- and 9,000/- prepared by the General anager, Bhadravati Iron Forks, for the provision of 25 electric lights and 10 additional water taps respectively to the Bhadravati Old Town, the cost being met out of the surplus funds of the Bhadravathi unicipality.

2 Un-official Note No 309 dated the 14th July 1933, of the Chief Electrical Engineer making the following suggestions in regard to the scheme of electrification -

(1) Using L S rails instead of Balgi poles, so as to effect a reduction of Rs 1,000/- in the estimate, and

(2) Requiring the Iron Forks to bear the capital cost of the installation and the cost of its maintenance and to charge the unicipality at Rs 22-8-0 for a 60 Watt Lamp and Rs 30/- for a 100 Watt lamp per annum

---

ORDER NO L 1429-33/ml 131-32-28

Dated, Bangalore, the 23rd August

The Chief Electrical Engineer's suggestion for u rails instead of Balgi poles is approved But his pro posal regarding the incidence of the charges on acco

THE MYSORE IRON WORKS

T A
IYS RON BHADRAVATI
(M O)
CO
BENTLEYS
V U ON FI STTE
ABC 6 H ON

M L 131-32-31

Bhadravati (I S O)

Ref No B 206/33

6th September 1933

The General Secretary to Government of
His Highness the Maharaja of Mysore,
Bangalore

GENERAL SECRETARIAT SEP 1933 No 2255

GEN & REV SECTT. 7 SEPT 1933 L & L BRANCH

Dear Sir,

With reference to Government Order No L 1429-33/ml 131-32-28 dated the 23rd August 1933, I beg to state that in my letter No G 1599 of 17th May 1933 to the Deputy Commissioner, Shimoga District enclosing estimates for providing 25 electric lights and 10 additional water taps to the Bhadravati old Town, it was not made clear that high tension current at 3100 volts would be conveyed from the Works to a spot near the L F Dispensary in the old Town, where it will be stepped down to 220 volts Rails will not be suitable for this high voltage section and Baligi poles will have to be used for this length which requires 40 posts The remaining 35 posts may be of rails, but I understand from the Officer in charge of the Creosoting Plant that he has some poles of 28' in height, which were rejected by the Electrical Department on account of slight departure from their specifications, and that he is prepared to sell these at Rs20/- per pole The difference in cost between using rail

and the non-specification Baligi poles for 35 posts required for low tension section, is only about Rs210/- The extra cost involved by using Baligi poles for the whole scheme is thus small In addition, it seems fair that, having the Creosoting Plant, situated close to the Works, we should as far as possible use their products, specially when they are offering reduced rates for our requirements

Under these circumstances, I propose to use Baligi poles for the entire scheme and I request sanction of Government may kindly be obtained

Yours faithfully,

General Manager

Appendix F G—1]

SUBJECT

Section nil

File No 131-32

Serial No 32

Diary No of letter replied to

No L 2272

To The General Manager, Bhadravathi Iron works

Sir,

With reference your letter no B 256/33 dy 6-9-33 requesting that Batch press may be used instead rails in connection with the electrification scheme of the Bhadravathi old town, I am directed to state that as the Chief Elec Engr sees no difficulty in the use of rails, the orders already passed directing the use of rails may stand

I have etc

General and Revenue Secretariat

( )

the *193*

Date of issue 3/10/33

Signed by for A Subba Rao

List of enclosures

Copied by

L 2273

Copy forwarded to Chief Electrical Engr for information

Examined by

WD 02,3—GPB—15 000—26 8 32

GOVERNMENT OF THE UNITED STATES THE SECRETARY OF WAR

General and Rec[illegible]

No. [illegible] Received [illegible]

From [illegible]

To

[illegible]

Sir

[illegible]

[illegible]

Sir,

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Mr 131-32-33

THE MYSORE IRON WORKS 1538/L

T MYSIRON (M C O) A BHADRAVATI
CO BENTLEYS
W U ON F L
A B C O

Bhadravati (India)

Ref No 441

27th September 1933

30 SEP 1933

The General Secretary to Government
of His Highness the Maharaja of Mysore,
Bangalore

Dear Sir,

In continuation of my letter No B 206/33 of the 6th instant, and with reference to the second para of the Government Order No L 1429-33/MI 131-32-28 dated the 23rd August 1933, I beg to furnish below the details in regard to the maintenance charges amounting to Rs 60/- and Rs 50/- per month for electrification and water supply schemes respectively

Electrification scheme The lighting charge of Rs 60/- per month is arrived at as follows -

7 Lights of 100 Watts 18 " 60 "	642 units per month, which work out to Rs 60/- @ 0-1-6 per K W Hr

The above charges also include the fuse renewals and the labour for replacing the damaged bulbs etc , but excluding

FG—1]

JBJECT

THE MYSORE IRON WORKS
BHADRAVATI

the cost of bulbs to be replaced

Water Supply Scheme A charge of Rs 50/- per month under this head is calculated as follows -

One Pipe line fitter	Rs	30/- per month.
Lumpsum charges		20/-
Total	Rs	50/-

Includes renewal of bib cocks, C I pipes and specials for replacement, and the cost of leather and other -- sundry materials required for bib cock and line repairs

It may be stated here that only the minimum charges necessary for maintaining the schemes in sound condition have been taken into consideration in arriving at the above figures and sanction of Government is requested for the same

I request that the sketch sent with the estimates may kindly be returned

Yours faithfully,

General Manager

VVR

Appendix F G—1]

SUBJECT

2 Copies

Section [illegible]

File No 131—32

Serial No 35

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Date of issue 30—10—33

Signed by M A Subba Rao

No L 2666

To

The Secl Manager to Govt

Sir,

I am to refer to your letter no 441 dy 27—4—33 (27-9-33), requesting, among other things, the return of the sketch sent along with the estimates for the electrification and water supply schemes of the Bhadravathi Town, I am directed to state that the Govt, Stores Dept, may be addressed in the matter, as the estimates & the connected papers including the sketch referred to have been sent to them

I have etc

for Secl to Govt

13/11/33

List of enclosures

Copied by [illegible] 17-10

Examined by

WD 0253—GPB—15 000—26 8 32

[Appendix F G—1]

SUBJECT

2 245

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Date of issue 30-10-33

Signed by M. D. Subba Rao

with reference to para 2 of GO no G 1429-33 dt 23833 PE 131-28 32

List of enclosures

(1) the estimates in triplicate of ——

(2) water supply schemes

Initialled by

Section nil

File No 131-32

Serial No 36

3 copies

No L 2664-8 / Encl one

To

(1) The Secy Stte Depts

(2) Govt of Mysore

Sir,

I am directed to forward herewith a copy of letter no 441 dt 27-9-33 received from the Asst Manager, Mysore Iron works, furnishing details in regard to the maintenance charges amounting to Rs 60 and Rs 50 p m for the electric and water supply schemes respectively of Bhadravathi Iron works and request you to the GO for issue of orders as to whether the items of charges proposed are necessary and if very early opinion as to

The estimates & the connected records have been returned to the DC Shimoga

I have etc

for Secy to Govt

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Extra

General and Revenue Secretariat

Dated Bangalore

No L 2667-8
PRL 131-32-36

30th Octr 1933

From

General Secretary to the Government of His Highness the Maharaja of Mysore

To The

1 The Secretary to Govt Electrical Department
2 The Director of Health in Mysore

Sir

I am directed to forward herewith a copy of letter No 441 dated the 11 September 1933 received from the General Manager, Mysore Bhadravati Iron Works, furnishing with reference to para 2 of Government Order No I 1429-33/Rl 131-~~30-32~~ 32-38 dated the 23rd August 1933, details in regard to the maintenance charges amounting to Rs 60 and Rs 50 per mensem for the electrification and water supply schemes respectively of Bhadravati Town, and to request you to be so good as to furnish very early your opinion as to whether the items of charges proposed in the case of 1 the electrification scheme / 2 the water supply scheme are necessary and fair

2 The estimates and the connected records have been returned to the Shimoga Deputy Commissioner, Shimoga District

I have the honour to be,

Sir,

Your most obedient servant,

s/o

Aswatha Rao

FOR GENERAL SECRETARY TO GOVERNMENT

Letter No 441 dated 27th Septr 1933 from the General Manager, Mysore Iron Works, Bhadravati, to the General Secretary to Government, Bangalore

**

In continuation of my letter No B 206/33 of the 6th instant, and with reference to the second para of the Government order No I 1429-33/M1 131-32-2 dated the 23rd Aug 1933, I beg to furnish below the details in regard to the maintenance charges amounting to Rs 60/- and Rs 50/- a month for electrification and water supply schemes respectively

Electrification scheme - The lighting charge of Rs 60 per month is arrived at as follows -

7 lights of 100 watts	)	642 units per month which work out to Rs 60 at 0-1-6 per K W Hr
18 lights of 60 watts	)	

The above charges also include the fuse renewals and the labour for replacing the damaged bulbs &c , but excluding the cost of bulbs to be replaced

Water Supply Scheme - A charge of Rs 50 per month under this head is calculated as follows:-

One pipe line fitter	Rs 30 a month
* Lumpsum charges	20 "
	Rs 50 a month

(* Includes renewal of bib cocks, C I pipes and specials for replacements, and the cost of leather and other sundry materials required for bib cock and line repairs)

It may be stated/that only the minimum charges

charges necessary for maintaining the schemes in sound condition have been taken into consideration in arriving at the above figures and sanction of Government is - requested for the same

I request that the sketch sent with the estimate may kindly be returned

- opy -

vvk 3

GOVERNMENT OF MYSORE

DEPARTMENT OF HEALTH

J V KARVE MB ChB DPH
Director of Health

W C SWEET BSc MD DrPH
Consultant Health

Telephone N 340
Telegram HEALTH

Telegram ROCKFOUND

Ml 131-32-37

No C 235-10

Encl

GRACE VILLE PALACE ROAD

Bangalore (S India) dated November 7, *193*8

FROM

J V KARVE ESQ MB ChB (EDIN) DPH (LOND)
Director of Health with the Government of
H H the Maharaja of Mysore Bangalore

To

H V Ramaswamy, Esq, M A, B L,
General Secretary to the Government of
H H the Maharaja of Mysore, Bangalore

GEN & REV SEC. 11 NOV 1933 SECRETARIAT BRANCH

9 NOV 1933

No L-S

SIR

With reference to your letter No L 2667-8/M 131-32-36 dated 30th October 1933 forwarding therewith copy of letter No 441 dated the 27th September 1933 from the General Manager, Mysore Iron Works, in regard to maintenance charges of Rs 50/- a month proposed in the case of the water supply scheme Bhadravati old town and enquiring if these are necessary and fair etc, I have the honour to state that a permanent fitter on a pay of Rs 30/- per mensem solely employed for this purpose seems unnecessary The taps given in the old town are few and they can be looked after by any fitter of the Iron Works, who for this work may be given a remuneration of Rs 10/- a month He will not find it inconvenient to inspect the pipe line and the taps once a week Cost on this allowance per year would come to Rs 120/-

A sum of Rs 100/- a year may be required for replacement of taps, sundry repairs to pipe line and taps etc

A further sum of Rs 30/- may be necessary for contingent expenditure

In my opinion Rs 250/- a year should be quite enough

The question of having an independent staff may however be taken up when the supply system is further developed

I have the honour to be,
Sir,
Your most obedient servant,

J V Karve

Elle

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L4328/Inl 131-32-39 Dated Bangalore 10th December 1933 22 12

From
The General Secretary to the Government of His Highness the Maharaja of Mysore

To

The General Manager,
Myore Iron Works

Sir

With reference to your letter No 441 dated 27th September 1933 furnishing the details in regard to the maintenance charges amounting to R 60/- and 50/- per month for electrification and water supply schemes of Bhadravati Town respectively, I am directed to forward herewith a copy of letter No C 235-10 dated 8th ovember 1933 received from the Director of Health stating that a sum of Rs 250/- will be sufficient for the maintenance charges of the water supply scheme and to enquire why the reduced charge proposed will not do

I have the honor to be,
Sir,
Your most obedient servant,

Asubba Rao
for General Secretary to Government

S R 2/Inc 1

Ecly

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No. L 4329

Dated Bangalore 19th December 1933
2221

From

The General Secretary to the Government of His Highness the Maharaja of Mysore

To

The Secretary to Government,
Electrical Department

Sir

I am directed to invite reference to this office letter No L 2667-8/M1 131-32-36 dated 30th October 1933 calling for your opinion in regard to the maintenance charges amounting to Rs 60/- per mensem for the electrification scheme of Bhadravathi Town and to request you to be so good as to expedite your reply thereto

I have the honor to be,
Sir,
Your most obedient servant,

Asuvaraj

for General Secretary to Government

SR 2

Ml 131-32-40

No E D S 1178
Encls One

ELECTRICAL SECRETARIAT

Dated Bangalore 30th December *1933*

3167

FROM

S SRINIVASA AIYAR Esq BA BE CE
Secretary to the Government of Mysore
Electrical Department
Bangalore

To

The General Secretary to Government,

Bangalore



Sir,

Subject - Electrification of Bhadravati Town

With reference to your letter No L 2667-8/ML 131-32-36 dated the 30th October 1933 on the above subject, I have the honour to forward herewith an extract from the Chief Electrical Engineer's memo dated the 14th July 1933 received in the matter and to state that I have no remarks to offer

I have the honour to be,

Sir,

Your most obedient servant,

Batlu Bhima Rao
28/12/33
for Secretary to Government
Electrical Department

Extract fr Chief Electrical Engineer's D O memo No 369 dated the 14th July 1933

The usual procedure adopted by this department in the case of such electrifications is that the capital cost involved is met from the department funds and the lights and the lines are maintained at the departmental expenses The rate of royalty charged is Rs 22-8-0 for a 60 watts lamp and Rs 30-0-0 for a 100 watts lamps per annum At the above rate, the royalty to be collected from the Bhadravati Municipality works out to Rs 615/- per year, whereas the General Manager has stated in his letter that the charges for the current would be Rs 720/- per year excluding the cost of replacement and maintenance of lines, which in my opinion is rather very high

---

Extract

Batur Bhima Rao
28/12/33
Assistant Secretary to Government,
Electrical Department

JDR

Appendix F G—1]

[illegible]T

Ar 131-32-41

THE MYSORE IRON WORKS 3295

T MYSRON
C A BHADRAVATI
CO BENTLEYS
W U O
ABC O

Bhadravati (Ind a)

Ref No B 344 6th January 1934

The General Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

GENERAL 8 JAN
No L 5

Dear Sir,

With reference to your letter No L 4328/M1 131-32-39 dated the 19th/22nd December 1933, forwarding copy of letter No C 235-10 dated the 8th November 1933 received from the Director of Public Health for our remarks, we beg to state that, in our Water Supply Section, we have a very limited staff and as their shifts are changed from week to week, it would not be possible to entrust to any one of them, as supplementary avocation, ~~of~~ the work connected with the maintenance of Water Supply to the Bhadravati Old Town We therefore find it necessary to appoint a fitter solely for this work This course will also ensure prompt attention to repairs and leaks, and minimum wastage of water due to these causes

With regard to renewals and replacements, we submit that a sum of Rs20/- per mensem asked for in our letter No 441 of the 27th September 1933 may be fixed for a period of two years in the first instance and that on the experience gained the question

may be reviewed at the end of that period

Yours faithfully,

Secretary,
Board of Management

Appendix F G—1]

SUBJECT

Section [illegible]
File No 131-32
Serial No 42

hary No of letter replied to

No L 55-06/Olice

To

The Genl Manager, Nizam
Irrigation Works

Sir,

With reference to the correspondence
with your letter no B 346 dy 6-1-34
re the maintenance charges for the
electrification and the water supply
schemes of Bhadravathi Town, I
am directed to state that the
Chief Engr thinks that the
sum of Rs 60/- is proposed for
the maintenance charges for the
electrification scheme is high
according to the capacity of the
Cables & on the basis of the rates
prevailing in the other municipalities
is Rs 615 per year). I am to enquire

General and Revenue Secretariat

( )

the *193*

te of issue 23-1-34

gned by Mr A S Rao

of enclosures

ed by

amined by

vide, extract
from memo
under

WD 0077—G I B—15 000—3 11-33

if the charges cannot be reduced
to the latter sum

SUBJECT

Appendix F G—1]

Query No of letter replied to

To

Serial No
File No 15/1
Section

(eneral and Revenue Secretariat)

the 193

Date of issue

Signed by

(opied by

List of enclosures

numbered by

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L 5806/ane
Mc 131-32-42

Bangalore Dated 23rd January 1934

From

The *General Secretary to the Government of His Highness the Maharaja of Mysore*

To

The General Manager
Mysore Iron Works

Sir

With reference to the correspondence ending with your letter No B 344 dated 6th January 1934 regarding the maintenance charges for the electrification and the water supply schemes of Bhadravathi Town I am directed to state that the Chief Electrical Engineer thinks that the sum of Rs 60/- per mensem proposed for the maintenance charges of the electrification scheme is high According to him the royalty to be collected on the basis of the rates prevailing in the Department would come to Rs 615 per year (vide extract from his memo enclosed) I am to enquire if the charges cannot be reduced to the latter sum

I have the honour to be

Sir

Your most obedient servant

Bhaskara Rao

for General Secretary to Government

THE MYSORE IRON WORKS 3873

T A
MYSIRON BHADRAVATI
(M O)
CO
BENTLEYS
W U O F
A C S O

M2 131-32-43

Bhadravati (I d a)

Ref No 11

26th January 1934

GEN & REV SECT
30 JAN
LEGL

The General Secretary to the Government
of His Highness the Maharaja of Mysore,
Bangalore

PERSONAL ASSISTANT
27 JAN 1934
No 459

Dear Sir,

With reference to your letter No L 5506-M1 131-32-42 dated the 23rd January 1934, regarding the maintenance charges of the Bhadravati Town Electrification scheme, I beg to state that a sum of Rs 720 per annum proposed is reasonable, being in accordance with the cost of generation of power or the works, as is shown in our letter No 441 dated the 27th September 1933

The procedure followed in the Electrical Department cannot be applied to supply of power from the Works, as has already been observed in Government Order No L 1429-33-M L 131-32-28 dated the 23rd August 1933 I am therefore to request that the sum of Rs 720 per annum proposed by the Works may kindly be sanctioned

Yours faithfully,
M Balakrishnan
SECRETARY
BOARD OF MANAGEMENT

✓ B S. App F VI—G 21

SUBJECT

ab

Section ME

File No 131-32

Serial No 44

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Proceedings of the Government of His Highness the Maharaja of Mysore

Date of issue 9-3-1934

Signed by Dr Dr-S R Achar H L

Read— G O no 1429-33/ME

131-32-28 dy 23-8-33 sanctioning

two schemes ~~to be~~ ~~submitted~~

~~by~~ ~~respectively~~ for the electrification

provision of 2 street lights

and water supply ~~Taluks~~ of the

Bhadravathi ~~T~~ area ~~respectively~~ and

the details of the maintenance charges for the schemes

2) letter no 441 dy 27-9-33

~~Order thereon No~~ from the Secretary

Board of Management,

Bhadravathi, mysore Iron works forwarding

the details ~~of~~ regarding ~~the~~ maintenance

charges amounting to Rs 60 and Rs ~~50~~ in

(noted in the margin) for the electrification and water

supply schemes respectively ~~recommended~~

~~above~~, and requesting sanction

May this be—

(i) printed ?

(ii) treated as a standing order ? called for

(iii) published in the Gazette English part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette kannada part ?

marked (note xy C)

A 2 C C dy ... 1 34 ...

dry, Bd ... management, ...

regret for inconvenience caused by the management funds are necessary to plant a further reliable source for the maintenance of the water supply and that the enhanced charges of Rs 20/- p.m. proposed, may be fixed for a period of 2 years in the first instance ~~and that in the experience gained the system may~~ to be reviewed at the end of that period

4) Further correspondence ending with letter no ... dt 26/1-34 from the dry, Bd of management, regret for inconvenience caused in the matter of the enhanced charges for the electric supply ...

4 List of Enclosure

order no L669/-...

The proposals of the dry, Bd of management, regret for inconvenience caused in the circumstances explained

Sd/- dry bofwt

Copied by

Examined by

The dry, Bd of management, ...